



# Turbonomic 6.0.3 Release Notes

December 15, 2017

This document describes issues that are addressed in Turbonomic 6.0.3 – Release Date: December 15, 2017. All builds are cumulative. Applying 6.0.3 onto any release of Turbonomic v5.9 or later will include all previous fixes. Please see the Turbonomic documentation for earlier versions of the Release Notes:

<https://greencircle.vmturbo.com/community/products/pages/documentation>

For any questions, please contact Turbonomic Technical Support at [support@turbonomic.com](mailto:support@turbonomic.com), or open a ticket at:

<https://greencircle.vmturbo.com/support>

## What's New for Version 6.0

The 6.0 family of Turbonomic releases includes the following new features:

- **User Interface Enhancements**

The new HTML user interface is now the default. Thanks to customer feedback, we have improved a number of the views. New things to see include:

- **Dashboards Page** – Use this page to create custom dashboards that focus on specific areas of your environment.
- **Reporting Page** – Set up subscriptions to standard reports, and generate reports on-demand.
- **Home Page Overviews** – To help you focus on what's important to you, the Home Page now shows overviews for Hybrid, On-Prem, and Cloud environments. You can still use the Search Page to set a scope to your session and drill down to details.
- **Policies and Settings** – The new user interface now exposes a full range of settings for business rules and automation. Use these to set policies for different scopes in your environment.

- **Enhanced Public Cloud Support**

We continue to improve our support on the public cloud. With this release you can see:

- **Enhanced cost analysis**

When calculating placement and resource allocation for workloads on the cloud, Turbonomic uses real data from your cloud accounts to calculate actual cost. The information Turbonomic uses includes Compute

Costs for the workload templates you use, License Costs for the workload OS, Storage Costs based on the storage tier you are using, and IP Cost.

For cloud storage, Turbonomic identifies the right storage tier for your workloads, ensuring you get storage performance without paying more than you need. It also discovers stranded, or "ghost" storage. When you delete a VM in your environment, you can forget to delete the attached storage. Turbonomic discovers and suspends this stranded storage so you don't have to keep paying for it.

In addition, when planning a migration from on-prem to the cloud, Turbonomic can identify stable on-prem workloads that are good candidates for Reserved Instance (RI) pricing. The resulting plan shows the cost savings you can expect by migrating these workloads to RI.

- Relational Database Control

Turbonomic discovers database instances in your cloud environment, and manages them as it does VM workloads. Turbonomic analysis determines correct scaling of your database services, provisioning new instances when necessary and recommending suspension of instances when appropriate.

- Enhanced Target Support

This version of Turbonomic introduces the following target enhancements:

- EMC VPLEX – VPLEX aggregates and refines data collected between connected Storage and Hypervisor targets. Turbonomic supports EMC VPLEX in a local configuration.
- Cisco UCS Central – Cisco UCS Central aggregates multiple Cisco Unified Computing System targets onto a single point of management.
- Storage Logical Pools – With Hitachi Data Systems and EMC VMAX 3, Turbonomic discovers and manages logical pools in your storage network.
- Hyper-V – This release adds support of Hyper-V 2016, and includes a number of improvements to our Hyper-V support.
- Cisco Tetration Platform — This release includes *Early-Access* support to discover information about east-west traffic between VMs, hosts, and storage. Turbonomic can use this information to enhance its network flow analysis and consider network traffic when placing workloads in your environment.

- Cloud-Native Enhancements

For OpenShift and Kubernetes environments, Turbonomic imports Node and Pod affinity constraints, and uses those constraints in its analysis. In addition, Turbonomic creates groups for containers.

## Update Recommendations

You can apply this update to any GA version of Turbonomic from version 5.9 or later, if it is running on CentOS.

---

**NOTE:** If your Turbonomic installation is running on an older version, or if it is running on openSUSE, contact Turbonomic Technical Support to confirm your update path.

## Update Links

Turbonomic 6.0.3 is available as an offline update. Please see the Green Circle article:

[How To Perform an Operations Manager "Offline Update" - Latest Links Included](#)

## Related Green Circle Articles

- Offline and Online Update Instructions:  
<https://greencircle.vmturbo.com/docs/DOC-1649>
- Release Notes and Product Documentation:  
<https://greencircle.vmturbo.com/community/products/pages/documentation>

# Configuration Requirements

For this release of Turbonomic, you should satisfy the following configuration requirements.

## Security Requirements for Browsers

For web browsers to communicate with Apache, the Apache configuration requires TLS version 1.1 or later. To use versions of Microsoft Internet Explorer 9 and 10, you must enable TLS 1.1 or later (in **Internet Options > Advanced**). For more information, see the following Green Circle article:

[The DROWN Attack: Configuring your Turbonomic Web Security](#)

## Updating the Tomcat Server

There are circumstances when you might choose to upgrade the Tomcat server on Turbonomic to a later version. In this case you must copy a local configuration file to the tomcat installation.

After you update the Tomcat server:

- Copy the file `/usr/libexec/tomcat/server.local` to `/usr/libexec/tomcat/server`
- To ensure that this server configuration file is executable, perform the command: `chmod 755 /usr/libexec/tomcat/server`

## Storage Requirements for the Turbonomic Server

Turbonomic now states 150GB or greater as a requirement for disk storage. For Turbonomic servers hosted on VMware hypervisors, you should provide 150GB *plus* swap space to match the RAM allocation.

## Transport Layer Security Requirements

Starting with version 5.4, by default Turbonomic requires Transport Layer Security (TLS) version 1.2 to establish secure communications with targets. Most targets should have TLSv1.2 enabled. However, some targets might not have TLS enabled, or they might have enabled an earlier version. In that case, you will see handshake errors when Turbonomic tries to connect with the target service. When you go to the Target Configuration view, you will see a Validation Failed status for such targets.

In particular, we have found that NetApp filers often have TLS disabled by default, and that the latest version they support is TLSv1. If your NetApp target suddenly fails to validate after installing Turbonomic 5.4 or later, this is probably the cause.

If target validation fails because of TLS support, you might see validation errors with the following strings:

- `No appropriate protocol`  
To correct this error, ensure that you have enabled the latest version of TLS that your target technology supports. If this does not resolve the issue, please contact Technical Support.
- `Certificates does not conform to algorithm constraints`  
To correct this error, refer to the documentation for your target technology (for example, refer to NetApp documentation) for instructions to generate a certification key with a length of 1024 or greater on your target server. If this does not resolve the issue, please contact Turbonomic Technical Support.

## Enabling HTTP and HTTPS Proxies

Turbonomic supports the use of HTTP and HTTPS proxies for internet communication. However, you must edit the Tomcat Server configuration file to add the required system variables.

The file you must edit is on your Turbonomic server at `/usr/libexec/tomcat/server`

In this file, search for the `OPTIONS` statement. It should appear in the config file similar to the following:

```
FLAGS="$($JAVA_OPTS) $CATALINA_OPTS"  
OPTIONS="-Dcatalina.base=$CATALINA_BASE ..."
```

Add the following flags to the `OPTIONS` statement, giving values for your proxies:

```
-Dhttp.proxyHost  
-Dhttp.proxyPort  
-Dhttps.proxyHost  
-Dhttps.proxyPort  
-Dhttp.proxyUser  
-Dhttp.proxyPassword  
-Dhttps.proxyUser  
-Dhttps.proxyPassword
```

The resulting `OPTIONS` statement should be similar to the following:

```
OPTIONS="-Dcatalina.base=$CATALINA_BASE \  
-Dhttp.proxyHost=  
-Dhttp.proxyPort=  
-Dhttps.proxyHost=  
-Dhttps.proxyPort=  
-Dhttp.proxyUser=  
-Dhttp.proxyPassword=  
-Dhttps.proxyUser=  
-Dhttps.proxyPassword="
```

```
-Dcatalina.home=$CATALINA_HOME \  
-Dhttp.proxyHost=111.10.10.123 -Dhttp.proxyPort=123 \  
-Dhttps.proxyHost=112.10.10.123 -Dhttps.proxyPort=456 \  
-Dhttp.proxyUser=user -Dhttp.proxyPassword=password \  
-Dhttps.proxyUser=user -Dhttps.proxyPassword=password"
```

Note that the values you provide for this file must match the values you provide when specifying a proxy in the Turbonomic user interface. After you make these changes, restart the Tomcat server.

For further assistance, contact Technical Support.

## Enabling HTTP to HTTPS Redirects for the REST API

Starting with version 5.9.1, Turbonomic redirects http requests to the user interface and the REST API over to HTTPS. To enable this feature, if you are updating from an earlier version of Turbonomic then you must restart the httpd service on the Turbonomic server.

Use the following command: `service httpd restart`

For more information, contact Technical Support.

## Enabling IOPS and Network Monitoring for OpenStack Mitaka

The Target Configuration Guide gives instructions to connect to OpenStack targets. However, if you are running OpenStack Mitaka, you must perform additional configuration on the Mitaka platform to enable IOPS and Network data collection from Physical Machines. For those instructions, please see the Green Circle article, [Enabling OpenStack PM Metric Collection](#).

## SMI-S Provider Versions for EMC VNX and EMC VMAX Storage Solutions

To connect to EMC VNX and VMAX disk arrays, Turbonomic uses EMC SMI-S providers that have the given disk arrays added to them. Note that VNX and VMAX support different versions of SMI-S Providers:

- VNX  
For VNX and VNX2 arrays, use SMI-S version 4.6.2, based on Solutions Enabler 7.6.2. We have verified Turbonomic control of VNX block storage using SMI-S version 4.6.2 as a target.
- VMAX  
For VMAX arrays, use SMI-S version 8.1, which is included in Solutions Enabler 8.1 – We have verified Turbonomic control of VMAX storage arrays using SMI-S version 8.1 as a target.

# Known Issues

- Turbonomic does not support groups with duplicate names. However, the product does not validate for this, and it allows you to create groups with duplicate names.
- Turbonomic introduces a scaling constraint that you can use to exclude specific templates from move actions (VM, only) or resize actions (VMs and database instances on the cloud). For example, workload resizing in the cloud changes the template that defines the workload. To constrain resize actions for a scope of workloads, you can exclude certain templates for that scope.

In Azure environments, when you set policies to exclude templates for resize actions on Database Instances, the template exclusion initially fails. If this occurs, you can force Turbonomic to recalculate actions, and those actions will then recognize your template settings. To do this, change the action mode for an action in this policy, and apply that change. Then reset the action mode to its original value and apply it again.
- When running plans to migrate workload to the cloud, be sure to choose the **Migrate to Cloud** option, and do not use the **Workload Migration** option. If you use **Workload Migration**, you can successfully set up a migration to the cloud, but the resulting plan might not choose the least expensive regions for workload placement.
- Under some circumstances, the user interface can show an AWS Relational Database using resources from a Host entity, and it can recommend actions to move Relational Databases to hosts. In the cloud environment, the database should use resources from a VM. If you see these symptoms, please contact Technical Support.
- If you deploy a Relational Database instance in AWS and then stop it, the Turbonomic user interface still shows that instance as active.
- For a Migrate to Cloud plan, Turbonomic calculates VM moves to use the best-priced template, and then calculates the best storage that is available from the new VM location. In some cases, the resulting storage price might not be the lowest possible.
- For a Migrate to Cloud plan, you can select a group of workloads to migrate, or you can select all VMs in your environment and migrate them. You should not run a plan to globally migrate all of your discovered VMs to the cloud. For this release, such a plan can give unpredictable results. However, migrating a group of VMs to the cloud runs successfully.
- For this release, **Add Workload to Cloud** plans do not work properly. They cannot place the new workload on the cloud.
- To enable the best resize-down performance for VCPU on the cloud, you should set the VCPU Resize Increment to 1 MHz. You can set this globally, or you can set the VCPU increment for a specific scope.
- For Migrate to Cloud plans, when you migrate a VM that has an attached ISO image, the plan shows a move of a non-existent OGB disk. This OGB disk is a representation of the ISO image, and you can ignore the move action. The other plan actions for the VM are correct.
- Under some circumstances, for Migrate to Cloud plans that migrate to multiple public cloud accounts, the plan results can show more VMs than you chose to migrate. However, the plan costs and actions are correct for the number of VMs you migrated.
- For a Migrate Workload plan, the plan scope must include both the workloads you want to migrate, and also the providers that you want to migrate the workloads to. If you do not set the scope in this way, then the plan might not show any migration results.
- To set up a Migrate to Cloud plan, you specify the scope of VMs that you want to migrate to the cloud. Currently, the plan configuration only supports a scope of one group or one VM. If you want to migrate workloads that are currently in different groups, then you can create a static or a dynamic group to include those workloads and migrate them to the cloud.
- Turbonomic supports logging in to AWS targets via AWS Identity and Access Management (IAM) with IAM Users or IAM Roles. To enable using Roles, you must run the Turbonomic software on an EC2 instance in the AWS cloud, and you must have the Turbonomic instance run as the IAM Role, and connect to the AWS target accounts with the appropriate IAM Role. To perform these actions, please contact Technical Support.

- Full management of storage on the public cloud includes identifying wasted storage. To enable this, create a policy for your cloud storage. Then under Storage Settings, add Disable Datastore Browsing and then turn it off. Turbonomic discovers groups of storage by cloud provider or cloud region, to make it easy for you to create this policy. Set these groups to be the policy scope.
- For CloudFoundry environments, the Turbonomic market can incorrectly identify the VM that hosts a container. This can happen when two or more cloud targets have VMs with the same internal IP address. For a container that is hosted on a VM with that address, Turbonomic cannot assure that it hosts the container on the correct VM.
- Turbonomic automatically creates some groups of on-prem VMs that do not work in Migrate to Cloud plans. If you use these groups, the migration plan will not complete. Specifically, Turbonomic creates VM groups for each target. These group names begin with the prefix `VMs_VMTTarget_`. Do not use these groups as the source of workloads to migrate to the cloud in a migration plan.
- You should not create scheduled policies for one-time occurrence (RECURRENT is set to Does Not Recur). If you create such a policy and save it, then you cannot edit the policy later.
- For Tomcat, SQLServer, WebSphere, and other application or database targets that use a scope to identify target instances, Turbonomic can fail to validate or discover the targets. If you add a target via scope, and that scope does not have any VMs to host the target applications, then the target will not validate. If you later add hosts for the applications to that scope, Turbonomic does not dynamically recognize the change and then validate and discover. Even if you execute a Validate command for that target, Turbonomic can validate but it will not run discovery.

To avoid this problem, make sure your applications are running on hosts before you configure the target. If you have encountered this problem (you added hosts to a scope after configuring the target), delete the target from Turbonomic and set a new target with this scope.
- Under some circumstances, Turbonomic can recommend actions with a category of UNDEFINED. However, when you filter the list of actions, UNDEFINED is not a category that you can choose.
- Customers upgrading from 5.7 or 5.8 versions of Turbonomic might need to reset their custom policies for disk arrays.

Starting with version 6.0, Turbonomic changes the way it creates groups categorized as Storage by Disk Array. In earlier versions, these groups included placeholder disk arrays (arrays that are not discovered through a disk array target). Turbonomic no longer includes these disk arrays in the Storage by Disk Array category of groups.

If you have upgraded from 5.7 or 5.8, and you used any Storage by Disk Array groups to set Turbonomic policy overrides to your disk arrays, then you will lose these settings as a result of this change to groups. You must reset these policy settings to your disk array groups in the upgraded version of Turbonomic.
- Assume you have application or database servers as targets, and they use dynamic groups to define their scopes for monitoring. If you add new application or database servers to these dynamic groups, or if you shut down and then restart an existing server, then Turbonomic fails to discover the change and these servers will not appear in the UI. To resolve this problem, execute a manual rediscovery of the affected target.
- If Turbonomic discovers a WebLogic target, and then the WebLogic and Turbonomic instance are both shut down, then Turbonomic will not rediscover the WebLogic target after it restarts. To correct this issue, execute a rediscovery of the WebLogic target.
- In the New User Interface, you cannot add a VMM target unless you provide a value for Ignore Hosts. To add a VMM target that does not ignore any hosts, provide an invalid host address (an address that does not point to any existing host).
- For WebSphere, Tomcat, and SQLServer targets, you can set a scaling policy to be horizontal or vertical. To set scaling for these targets, you must set it both in the Turbonomic user interface, and also in the properties file for the given probe. This means that for any of these targets, all discovered entities must use the same scaling property. For help with scaling policies for these targets, contact Technical Support.



- Turbonomic has improved the implementation of target probes for Tomcat, Websphere, and SQLServer. One effect is that these new targets use scope to identify the application servers, and they do not use IP addresses. If you have already configured these targets using their IP addresses, then you must reconfigure these targets using Scope to identify them.
- Under some circumstances when using the Deploy View, the user interface can fail to respond. After you request a placement, if the placement recommendation does not appear within one to two minutes, reload the browser running Turbonomic to reset the user interface.
- If you ignore hyperthreading for a scope that is less than a datacenter and then restart tomcat for the Turbonomic application, then Turbonomic does not calculate the CPU capacity correctly for the affected scope of hosts. If this problem occurs, perform a full rediscovery to show correct CPU capacity.
- There is a rare case where Turbonomic can lose the cluster relationship for VMs running on a host. Assume you move a host out of a cluster, and directly into the datacenter (not into a cluster). Next you create a new cluster and then move the host into that cluster. In this case, the VMs on that host will not belong to any PM cluster. This can also affect Provider Virtual Datacenters that belong to the new cluster.  
To avoid this problem, create the cluster first, and move the host directly into it. If this problem occurs, rediscover your environment to establish the correct cluster relationships.
- For VMs running on Hyper-V, if you set a VCPU limit (limit VCPU to less than 100%), then the VCPU utilization data that VM returns to Turbonomic is not correct. As a result, Turbonomic will not recommend that you increase the VCPU limit.
- In OpenStack environments, it is possible to place a VM belonging to a specific cluster (a VM flavor that is set via extra specifications) onto a host that is not a member of that cluster. Turbonomic cannot identify this configuration error, and will not recommend a move to place the VM on an appropriate host.  
You can implement placement policies to ensure that VMs always get placed on the correct hosts. This can work even if there is no host cluster to match the VM flavor. However, in that case the user interface will not show these VMs as members of a PM cluster.
- In the JSON REST API, you can execute a DELETE method for Market and Market\_default. The API should prohibit DELETE methods for these resources. If you are programming with the API, do not execute a DELETE on these market resources.

## Fixed Issues

- **Fixed:** The image to deploy Turbonomic on the Azure cloud does not include configuration for swap space. Swap space should be configured by default.
- **Customer Issue 95055**  
**Fixed:** Under some circumstances, Turbonomic floods the log file so that the product server runs out of disk space and the Health Check test fails.
- **Fixed:** Under rare circumstances after upgrading to version 6.0.2, Turbonomic does not complete the full discovery process.
- **Fixed:** If you have set up action scripts as the only action to run in an automation policy, then in some circumstances with reserved entities Turbonomic can execute both the action script *and* the action this script is supposed to override.
- **Customer Issue 97746**  
**Fixed:** Active Directory authentication fails for accounts that use the British Pound symbol in the password.
- **Fixed:** Turbonomic generates traps in SNMP V1, which causes problems for receivers that expect SNMP V2C. Turbonomic must generate traps in SNMP V2C.



- **Customer Issue 97886**  
**Fixed:** Under some circumstances in vCenter Server environments, Turbonomic fails to execute resizing actions for a VM.
- **Customer Issue 96941**  
**Fixed:** Under some circumstances, when browsing datastores for wasted files Turbonomic can include active VSAN files in the list of wasted files.
- **Fixed:** Turbonomic fails to validate targets running OpenStack Juno.
- **Fixed:** Under some circumstances in an OpenStack environment, Turbonomic can exceed memory capacity when it experiences a timeout while discovering the OpenStack environment.
- **Customer Issue 98049**  
**Fixed:** In PowerVM environments, Turbonomic opens excess sessions in the environment and then fails to close them.
- **Customer Issue 97956**  
**Fixed:** When setting the default automation policy for VMs, Turbonomic does not recognize any templates you add to the Exclude Templates setting. Actions for scopes that use this default will not exclude the templates you specified.
- **Customer Issue 98383**  
**Fixed:** In AWS environments, Turbonomic can recommend resizing a VM to a different template such that one of the templates is EBS Optimized and the other template is not. In this case, Turbonomic fails to execute the resize action.
- **Customer Issue 98427**  
**Fixed:** In rare circumstances when discovering AWS environments, Turbonomic fails to discover the workloads in that environment.
- **Fixed:** In AWS environments, Turbonomic gets incorrect billing information for December.
- **Fixed:** In some environments with a large number of targets, timing issues between the targets can cause discovery to halt before it is complete.
- **Fixed:** Under some circumstances the **Health Check** can report excess objects. This appears as a large increase in "pod count".
- **Customer Issue 98176**  
**Fixed:** When you hover on data points in resource charts, the tooltips do not display the correct values.
- **Customer Issue 98201**  
**Fixed:** Under some circumstances for AWS environments, Migrate to Cloud plans fail to show storage moves. For example, the plan does not show any changes to the cost on the cloud storage tiers.
- **Customer Issue 98178**  
**Fixed:** Under some conditions, when you open a saved plan the plan results show **No Data Available**.
- **Fixed:** Turbonomic fails to generate the VM Rightsizing Recommendations or VM Group RightSizing Info reports.

